RECEIVED

JUN 2 2 2020

LEGAL SERVICES

Filed: USBC - District of Nevada Red Rose, Inc. d/b/a Petersen-Dean, et al (B10)

PDN

20-12814 (MKN)



Official Form 410

Case number <u>20-1</u>2814

Debtor 1

Debtor 2 (Spouse, if filing)

Proof of Claim

Fill in this information to identify the case:

MR FIX IT ELECTRIC & MORE

DAVID JIMENEZ PADILLA

United States Bankruptcy Court for the: District of Nevada

04/19

Read the instructions before filling out this form. This form is for making a claim for payment in a bankruptcy case. Do not use this form to make a request for payment of an administrative expense. Make such a request according to 11 U.S.C. § 503.

Filers must leave out or redact information that is entitled to privacy on this form or on any attached documents. Attach redacted copies of any documents that support the claim, such as promissory notes, purchase orders, invoices, itemized statements of running accounts, contracts, judgments, mortgages, and security agreements. Do not send original documents; they may be destroyed after scanning. If the documents are not available, explain in an attachment.

A person who files a fraudulent claim could be fined up to \$500,000, imprisoned for up to 5 years, or both. 18 U.S.C. §§ 152, 157, and 3571.

Fill in all the information about the claim as of the date the case was filed. That date is on the notice of bankruptcy (Form 309) that you received.

Who is the current			_				
creditor?	MR. FIX IT ELECTRIC & MORE Name of the current creditor (the person or entity to be paid for this claim)						
		• •	•	•			
	Other names the credito	r used with the debto	or DAVID PADILL	.A			
2. Has this claim been acquired from someone else?	☑ No ☐ Yes. From whom?						
3. Where should notices and payments to the creditor be sent?	Where should notic	es to the credito	be sent?	Where should pa	ayments to the creditor	be sent? (if	
	MR. FIX IT ELEC	CTRIC & MOR	E				
Federal Rule of Bankruptcy Procedure	Name	•		Name			
(FRBP) 2002(g)	7537 N. ANTIOC	H AVE.					
	Number Street			Number Stre	et		
	FRESNO	CA	93722				
	City	State	ZIP Code	City	State	ZIP Code	
	Contact phone (559)2	240-8786		Contact phone		_	
	Contact email mrfixit	telectric@gma	il.com	Contact email		_	
	Uniform claim identifier		nts in chapter 13 (if you	·	- 		
4. Does this claim amend one already filed?	☑ No ☐ Yes. Claim num	ber on court claim	s registry (if known) _		Filed on) / YYYY	
5. Do you know if anyone else has filed a proof of claim for this claim?	✓ No☐ Yes. Who made	the earlier filing?					

Give Information About the Claim as of the Date the Case Was Filed **☑** No Do you have any number you use to identify the Yes. Last 4 digits of the debtor's account or any number you use to identify the debtor: 26,650.00. Does this amount include interest or other charges? How much is the claim? **☑** No ☐ Yes. Attach statement itemizing interest, fees, expenses, or other charges required by Bankruptcy Rule 3001(c)(2)(A). What is the basis of the Examples: Goods sold, money loaned, lease, services performed, personal injury or wrongful death, or credit card. claim? Attach redacted copies of any documents supporting the claim required by Bankruptcy Rule 3001(c). Limit disclosing information that is entitled to privacy, such as health care information. electrical services performed, meter panel upgrades Is all or part of the claim **2** No secured? ☐ Yes. The claim is secured by a lien on property. Nature of property: Real estate. If the claim is secured by the debtor's principal residence, file a Mortgage Proof of Claim Attachment (Official Form 410-A) with this Proof of Claim. ☐ Motor vehicle Other. Describe: Basis for perfection: Attach redacted copies of documents, if any, that show evidence of perfection of a security interest (for example, a mortgage, lien, certificate of title, financing statement, or other document that shows the lien has been filed or recorded.) Value of property: Amount of the claim that is secured: $26,\!650.00$ (The sum of the secured and unsecured Amount of the claim that is unsecured: \$_ amounts should match the amount in line 7.) Amount necessary to cure any default as of the date of the petition: Annual Interest Rate (when case was filed) 0.00 % ☐ Fixed ☐ Variable 10. Is this claim based on a lease? Amount necessary to cure any default as of the date of the petition. 11. Is this claim subject to a right of setoff? Yes. Identify the property:

Official Form 410

·	······································		······	·····		
12. Is all or part of the claim	☑ No		ŕ			ump 1.2 - y ngh-Whitian bakket callab in gabilal kasuran .
entitled to priority under 11 U.S.C. § 507(a)?	Yes. Check	cone:				Amount entitled to priority
A claim may be partly priority and partly		tic support obligations (incl C. § 507(a)(1)(A) or (a)(1)(support) und	ler	\$
nonpriority. For example, in some categories, the law limits the amount entitled to priority.		3,025* of deposits toward p al, family, or household use		of property	or services for	\$
,	bankruj	salaries, or commissions of otcy petition is filed or the d C. § 507(a)(4).	(up to \$13,650*) earned v ebtor's business ends, w	vithin 180 d hichever is	ays before the earlier.	\$
	☐ Taxes o	or penalties owed to govern	nmental units. 11 U.S.C.	§ 507(a)(8).		\$
	☐ Contrib	utions to an employee ben	efit plan. 11 U.S.C. § 507	′(a)(5).		\$
	Other.	Specify subsection of 11 U.	S.C. § 507(a)() that ap	plies.		\$
	* Amounts	are subject to adjustment on 4/	01/22 and every 3 years aft	er that for cas	es begun on or afte	er the date of adjustment.
Part 3: Sign Below						
	Obselvito con	a sinta ta su				
The person completing this proof of claim must	Check the appro	•				
sign and date it. FRBP 9011(b).	l am the cr					
	_	editor's attorney or authoriz		nundau Dula	2004	
If you file this claim electronically, FRBP	_	istee, or the debtor, or theil rantor, surety, endorser, or				
5005(a)(2) authorizes courts to establish local rules	- rama guar	antor, surety, endorser, or	other codebtor. Barkrup	icy Rule 300	JJ.	
specifying what a signature is.		hat an authorized signature on this <i>Proof of Claim</i> serves as an acknowledgment that when calculating the claim, the creditor gave the debtor credit for any payments received toward the debt.				
A person who files a	amount of the daint, the decitor gave the debtor death for any payments received toward the debt.					
fraudulent claim could be fined up to \$500,000, imprisoned for up to 5	I have examined the information in this <i>Proof of Claim</i> and have a reasonable belief that the information is true and correct.					
years, or both. 18 U.S.C. §§ 152, 157, and	I declare under	penalty of perjury that the f	oregoing is true and corr	ect.		
3571.	Executed on da	te 06/18/2020				
		MM / DD / YYYY				
	<u> Wo</u>	ord Had	ich	<u></u>		
	Signature	\mathcal{O}				
	Print the name	of the person who is con	npleting and signing th	is claim:		
	Name	David	J		Padilla	
		First name	Middle name		Last name	
	Title	Owner				
	Company	MR. FIX IT ELECT	RIC & MORE			
		Identify the corporate service	cer as the company if the au	thorized agen	t is a servicer.	
	Address	7537 N. ANTIOCH	AVE.	_		
		Number Street		. "		
		FRESNO		CA	93722	
		City		State	ZIP Code	
	Contact phone	(559)240-8786	•	Email M	rfixitelectric@	gmail.com

1:57 PM 06/19/20 **Accrual Basis**

MR. FIX IT, ELECTRIC & MORE Customer Open Balance All Transactions

Туре	Date	Num	Memo	Due Date	Open Balance	Amount
PETERSEN DEAN R	OOFING AND SOLA	NR				
Invoice	12/03/2019	1085	50188.00 (Ma	01/02/2020	2,700.00	2,700.00
Invoice	12/10/2019	1086	48584.00 (At	01/09/2020	4,500.00	4,500.00
Invoice	12/17/2019	1087	50412.00 (Fre	01/16/2020	2,800.00	2,800.00
Invoice	01/09/2020	1089	50360.00 (Fre	02/08/2020	2,600.00	2,600.00
Invoice	01/10/2020	1090	50406.00 (Sa	02/09/2020	3,600.00	3,600.00
Invoice	01/14/2020	1091	44876.00 (Ex	02/13/2020	500.00	500.00
Invoice	01/14/2020	1092	49423.00 (Tul	02/13/2020	400.00	400.00
Invoice	01/14/2020	1095	49291.00 (Din	02/13/2020	4,000.00	4,000.00
Invoice	02/11/2020	1096	48222.00 (clo	03/12/2020	150.00	150.00
Invoice	02/20/2020	1097	50979.00 (Vis	03/21/2020	3,000.00	3,000.00
Invoice	02/28/2020	1098	50085.00 (fre	03/29/2020	2,400.00	2,400.00
Total PETERSEN DE	AN ROOFING AND	SOLAR			26,650.00	26,650.00
TAL					26,650.00	26,650.00



Electric & More

7537 N. ANTIOCH AVE. FRESNO, CA. 93722 (559)240-8786 - mrfixitelectric@gmail.com License # 860561

Date	Invoice #
12/3/2019	1085

Bill To
PETERSEN DEAN ROOFING AND SOLAR 408 S. TEILMAN FRESNO, CA. 93706

P.O. No.	Terms	Project .
50188.00	Net 30	

		`		
Quantity	Quantity Description Rate 13281 Yucca Rd. Madera, CA. (Emilio Salazar) - upgraded existing 100amp surface mounted, underground fed meter panel to a 125/100 Eaton pv panel. Removed, patched and painted wood siding as needed for job. Grounded new panel to uffer plus water pipe. Rerouted and or relocated all existing conduits and circuits into new panel.		Rate	Amount
			2,700.00	
	A.			
erry Christma	s! Thank you for your business during this year!!!!		Total	\$2,700.0

0



"Done Right, The First Time". 10/20/19

Proposal

Job# 50188.00

Customer. EMILIO SALAZAR

from . DAVID

to. TRACEY

Job desc. To upgrade existing 100 amp underground fed surface mounted meter panel to a 125/100.

To ground new panel per MADREA COUNTY specs

To reroute and or reconnect all existing conduits and circuits into new panel

Mr fix it electric will be responsible for obtaining electrical permit, scheduling of DIS/REC. scheduling of electrical inspection and all labor and materials to complete job

Job 2700.00. Dollars

racey Gandy

Approved 10/22/2019- Tracey Gandy Project Coordinator



Date	Invoice #
12/10/2019	1086

Project

7537 N. ANTIOCH AVE. FRESNO, CA. 93722 (559)240-8786 - mrfixitelectric@gmail.com License # 860561

Bill To	
PETERSEN DEAN ROOFING AND SOLAR 408 S. TEILMAN FRESNO, CA. 93706	

Terms

		48584.00	Net 30		
Quantity	Description		Rate		Amount
	5274 Mulberry Ave. Atwater CA. (Tony Azevedo) - upgratecessed mounted o.h. fed meter panel to a 225/200 Eator relocated to the left of existing approx 10' to keep clearan and reconnected all existing circuits from existing panel le Removed, patched and painted stucco as needed for job. Merced County specs	panel. New panel was ce from gas meter. Rero ocation to new panel loo	outed cation.	500.00	4,500.0
rry Christma	is! Thank you for your business during this year!!!!		Total	L	\$4,500.0

P.O. No.



Revised proposal.

10/31/19

To . Tracey

From .David

Job#. 48584.00

Customer. Tony Acevedo

Job desc. To upgrade existing 100 over head fed, recessed mounted meter panel with a new 225/200 Eaton recessed surface mounted at new location away from the gas meter per PGE requirements

To install a 2 inch extended service riser with 3/0 conductors, to ground new panel per merced county specs

To install conduits and junction boxes of sufficient size into the attic space and to install new circuits from the new meter panel location to a splice point inside the attic to reconnect the existing circuits going inside the attic into the new meter panel

To relocate all circuits going under the house to the new meter panel

Existing meter panel to be abandoned in place, customer to remove it if he chooses to do so

Mr fix it electric will be responsible for obtaining electrical permit, scheduling of DIS/REC. scheduling of electrical inspection and all labor and materials to complete job

Please note this job will take a lot of material, labor, plus multiple trips to complete and proposal price has been adjusted accordingly.

Job total 4500.00 dollars

Approved- Tracey Gandy 11/21/2019





Electric & More

7537 N. ANTIOCH AVE. FRESNO, CA. 93722 (559)240-8786 - mrfixitelectric@gmail.com License # 860561

Date	Invoice #
12/17/2019	1087

Bill To	

PETERSEN DEAN ROOFING AND SOLAR 408 S. TEILMAN FRESNO, CA. 93706

P.O. No.	Terms	Project
50412.00	Net 30	

Quantity	Description		Rate	Amount
	2219 E. Holland Ave. Fresno, CA. (Richard Moses) - upgraded existing 100amp surface mounted meter panel to a 125/100 Eaton. New panel was relocated 8' to the right of existing to an unobstructed area of the patio. Removed existing meter panel and installed a 3R rated j.box for splices. Rerouted and or relocated all existing conduits and circuits into new panel. Installed extended service riser brace kit to a clearance for service fed above roof.	el	2,800.00	2,800.00
			-	
erry Christmas	! Thank you for your business during this year!!!!	Tot	al	\$2,800.00

0



proposal.

11/25/19

To . Irene

From .David

Job#. 50412

Customer. Richard Moses

Job desc. To upgrade existing 100 amp over head fed, Surfaced mounted meter panel with a new 125/100 meter panel

To install a new 11/2 inch EXTENDED HEIGTH riser with # 1 conductors and brace kit to raise service drop over walkable patio roof

To remove , patch, and paint stucco as needed for job

To ground new panel per city of Fresno specs

To re route and or reconnect all circuits into new panel

Mr fix it electric will be responsible for obtaining electrical permit, scheduling of DIS/REC. scheduling of electrical inspection , and all labor and materials to complete job

Jo total 2800.00 dollars

11/26/19



Electric & More

7537 N. ANTIOCH AVE. FRESNO, CA. 93722 (559)240-8786 - mrfixitelectric@gmail.com License # 860561

Date	Invoice #
1/9/2020	1089

	•			
Bill To		 		

PETERSEN DEAN ROOFING AND SOLAR 408 S. TEILMAN FRESNO, CA. 93706

P.O. No.	Terms	Project
50360.00	Net 30	

	•	30300.00	1100 30	
Quantity	Description		Rate	Amount
	6085 N. 10TH ST. FRESNO, CA. (Lisa Raney)-upgraded surface mounted meter panel to a 125/100 Eaton meter papainted stucco as needed for job. Grounded new panel per Rerouted and or reconnected all existing conduits and circ	nel. Removed, patched or city of Fresno specs.	ed 2 and	,600.00 2,600.00
÷ •				
				."
	·			
. ·				
			j.	
se remit to ab	ove address.		Total	\$2,600.0

C- 8



proposal.

11/05/19

To . Marvin

From .David

Job#. 50360.00

Customer. LISA RANEY

Job desc. To upgrade existing 100 amp under ground fed, surface mounted meter panel with a new 125/100 Eaton surface mounted meter panel

To remove patch and paint stucco and sheet rock if necessary and as needed for job

To ground new panel per city of FRESNO requirements

To move new panel to the left as needed to match service riser

To reroute-and or reconnect all existing conduits and circuits into new panel

Mr fix it electric will be responsible for obtaining electrical permit, scheduling of dis/rec. scheduling of electrical inspection and all labor and materials to complete job

Job total. 2600.00 dollars

Murvin Arivera Jr. 11/06/2019



· 克克人 / 100

7537 N. ANTIOCH AVE. FRESNO, CA. 93722 (559)240-8786 - mrfixitelectric@gmail.com License # 860561

Please remit to above address. THANK YOU FOR YOUR BUSINESS

Invoice

Date	Invoice #
1/10/2020	1090

Project

P.O. No.

PETERSEN DEAN ROOFING AND SOLAR 408 S. TEILMAN FRESNO, CA. 93706

Terms

Total

\$3,600.00

		50406.00	1	Net 30		
Quantity	Description	***************************************		Rate		Amount
	1454 Canal Dr. Sanger, CA. (Kim Pennington) - upgraded mounted over head fed meter panel to a 125amp solar read 1 1/2 riser with #1 conductors. Grounded new panel to 2 Removed, patched and painted stucco as needed for job. Immeter panel and incorporated existing circuits into new marreconnected all existing conduits and circuits into new particles.	ly Eaton panel. Installe grd rods plus water line Removed sub panel und eter panel. Rerouted an	ed new e. der	3,	600.00	3,600.00



proposal.

12/04/19

To . Irene

T . . . \ To ...

From .David

Job#.50406.00

Customer. Kim Pennington

Job desc. To upgrade existing 100 amp over head fed, Surfaced mounted meter panel with a new 125 amp solar ready Eaton panel

to install a new 11/2 riser with #1 conductors

To remove, patch and paint stucco as needed for job

To ground new and existing meter panels per responsible jurisdiction

To reroute and or reconnect all existing conduits and circuits into new panel

To remove ,patch, and paint stucco as needed for job

Mr fix it electric will be responsible for obtaining electrical permit, scheduling of dis/rec. scheduling of electrical inspection and all labor and materials to complete job

Job total 3600.00 dollars

12/5/19

	4	To //	/
MR.		X	

Electric & More

7537 N. ANTIOCH AVE. FRESNO, CA. 93722 (559)240-8786 - mrfixitelectric@gmail.com License # 860561

Date	Invoice #
1/14/2020	1091

Bill To		
DIII 10		

PETERSEN DEAN ROOFING AND SOLAR 408 S. TEILMAN FRESNO, CA. 93706

P.O. No.	Terms		Project
44876.00	Net 30		
	Rate		Amount

Quantity	Description		Rate		Amount
	30732 Rd. 196 Exeter CA. (Jeffrey Pleiffer) - job cancelled per Ma 1/14/20. This job would have required a service feed upgrade consapproximately 320' plus mpu upgrade. SCE planner not respondin over a period of 3 months, asking for a trench map. Invoice charge time and planning on the job plus permit charges.	sisting of trenchin	g	500.00	500.0
	·				
0 monet 4 o 1	pove address. THANK YOU FOR YOUR BUSINESS				

Total

\$500.00



Electric & More

7537 N. ANTIOCH AVE. FRESNO, CA. 93722 (559)240-8786 - mrfixitelectric@gmail.com License # 860561

Date	Invoice #
1/14/2020	1092

Bill To	
PETERSEN DEAN ROOFING 408 S. TEILMAN FRESNO, CA. 93706	G AND SOLAR

49423.00 Net 30	oject
Rate	Amount

1/	17 Coval St. Tulare CA. (Francis Sadler) - JOB CANCE /14/20. This MPU would have required a service feed up onduit consisting of trenching from SCE splice box to me effect permit fees plus time spent on getting permit, looking.	ograde, meaning a new eter panel location. Char		400.00	400.0
			ì	1	
	ik .				

Total

\$400.00



Date	Invoice #
1/14/2020	1095

7537 N. ANTIOCH AVE. FRESNO, CA. 93722 (559)240-8786 - mrfixitelectric@gmail.com License # 860561

PETERSEN DEAN ROOFING AND SOLAR 408 S. TEILMAN FRESNO, CA. 93706

Bill To

		P.O. No.		Terms		Project
		49241.00		Net 30		
Quantity	Description		L	Rate		Amount
	22226 E. Floral Ave. Dinuba, Ca. (Richard Klassen) - upgraded existing 100amp surface mounted meter panel to a 125/100. Installed a new full length 10' 2 1/2" riser with 300 mcm conductors and a 36"x8"x8 3R gutter per PGE specs to avoid existing looping at service feed. Fed existing 200A meter panel and new 125/100 from gutter feeders. Corrected grounding and rerouted all necessary conduits and circuits into proper panel as needed.		4,0	000.00	4,000.00	

	·	surface mounted meter panel to a 125/100. Installed a new full length 10' 2 1/2" riser with 300 mcm conductors and a 36"x8"x8 3R gutter per PGE specs to avoid existing looping at service feed. Fed existing 200A meter panel and new 125/100 from gutter feeders. Corrected grounding and rerouted all necessary conduits and circuits into proper panel as needed.	4,000.00	4,000.00	
-				·	-
		,			
	1. 4.				
	·				
	*				
	THANK YOU FO	OR THE OPPORTUNITY TO BE OF SERVICE TO YOU!!!			

Total

\$4,000.00





12/04/19

Mandy Stoddard

proposal.

To . MANDY
From .David
Job#. 49241.00
Customer. RICHARD KLASSEN
Job desc. To upgrade existing 100 amp over head fed, Surfaced mounted meter panel with a new 125/100 meter panel
to install a new 3 inch riser with 300 mcm conductors and 3 inch brace kit
To install a 3 feet long by 8 inch deep by 8 inch high 3R rated gutter above existing 200 amp and-new 125/100 panel for splicing purposes from the service feeders into each individual meter panel per PGE requirements
To ground new and existing meter panels per responsible jurisdiction
To remove existing shop feed going from 100 amp meter panel trough 200 amp meter panel and installing a junction box to correct violation
To reroute and or reconnect all existing conduits and circuits into new panel
To remove ,patch, and paint stucco as needed for job
NOTE EXISTING 200 amp meter panel and back up generator to stay as is,as noted on the request to have been permitted at a previous time ,the only work related will be the new service feed from the new splice gutter to the meter socket termination point
Mr fix it electric will be responsible for obtaining electrical permit, scheduling of dis/rec. scheduling of electrical inspection, and all labor and materials to complete job
Job total. 4000.00 dollars
•



Electric & More

7537 N. ANTIOCH AVE. FRESNO, CA. 93722 (559)240-8786 - mrfixitelectric@gmail.com License # 860561

Date	Invoice #		
2/11/2020	1096		

Bill To	
PETERSEN DEAN ROOFING AND SOLAR 408 S. TEILMAN FRESNO, CA. 93706	
	-

P.O. No.	Terms	Project
48222.00	Net 30	

Quantity	Description		Rate	Amount
	2622 Renn Ave. Clovis, Ca. (S. Haran) - visited the job per MANDY'S REQUEST customer complaining of breakers tripping. After talking to homeowner and check main meter and doing investigative work, found that the reason the breaker is tripp because its being overloaded. customer has 2 ceiling mounted fan/heater combina and they happen to be hooked up to the same circuit, thus overloading the 15amp breaker with 24.5 amps. Advised homeowner not to use both fans at the same time to install 2 new circuits, one to each fan	king oing ation	150.00	150.00
				. *
				٠
·			·	

THANK YOU FOR THE OPPORTUNITY TO BE OF SERVICE TO YOU!!!

Total

\$150.00

MR. FIXIT
Electric & More

 Date
 Invoice #

 2/20/2020
 1097

Project

7537 N. ANTIOCH AVE. FRESNO, CA. 93722 (559)240-8786 - mrfixitelectric@gmail.com

License # 860561

Bill To	
PETERSEN DEAN ROOFING AND SOLAR 408 S. TEILMAN FRESNO, CA. 93706	

Terms

•		50979.00	Net 30		
Quantity	Description		Rate		Amount
	5916 W. Robin Ave. Visalia, CA. 93291 (Julie Smith) - home line recessed mounted underground fed panel to a Smeter panel. Cut & patched sheet rock and stucco as need take care of patch painting. Grounded new panel per City and or reconnected all existing conduits and circuits into	siemens 200 amp solar reded for job Customer word of Visalia specs. Rero	eady ill	3,000.00	3,000.00
ease remit to a	above address.		Total		\$3,000.0

P.O. No.



Proposal

02/03/20

Job # 50979.00

To .irene

From .David

Job description. To remove existing 200 amp under ground fed recessed mounted meter panel and upgrade with new 200 amp SIEMENS solar ready meter panel

To remove, patch, and paint stucco as needed for job

To reroute and or reconnect all existing conduits and circuits into new panel

To ground new panel per CITY OF VISALIA specs

MR FIX IT ELECTRIC will be responsible for obtaining electrical permit, scheduling of electrical inspection, scheduling of DIS/REC. and all labor and materials to complete job per proposal

!! PROPOSAL PRICE!! Valid only if new meter panel is approved for existing location by SCE and proper size underground service feed conduit is in place

JOB TOTAL. 3000.00 DOLLARS



Date	Invoice #
2/28/2020	1098

7537 N. ANTIOCH AVE. FRESNO, CA. 93722 (559)240-8786 - mrfixitelectric@gmail.com License # 860561

PETERSEN DEAN ROOFING AND SOLAR
408 S. TEILMAN
FRESNO, CA. 93706

P.O. No.	Terms	Project
50085.00	Net 30	


Quantity	Description	Rate	Amount
	4707 Sussex Way Fresno, CA. (Michael Simms) - upgraded existing 100amp u.g. fed recessed mounted meter panel to a 125/100 Eaton. Removed, patched and painted stucco as needed for job. Grounded new panel per City of Fresno specs. Rerouted and or reconnected all existing conduits and circuits into new panel.	2,400.00	2,400.00
·			
		5. 5. 4.	
Please remit to abo	we address THANK VOLLEON WOLLD DAVID		
2 remo remit to app	ve address. THANK YOU FOR YOUR BUSINESS	Total	\$2,400.00



Proposal	02/05/20	
Job # 50085.00		
To .MANDY		
From .David		
	o upgrade existing 100 amp unde e with a new EATON 125/100 me	r ground fed recessed mounted meter ter panel
To remove,patch,	and paint stucco and sheet rock as	needed for job
To ground new pa	anel per city of Fresno specs	
To reroute and or	reconnect all existing conduits an	d circuits into new panel
		lectrical permit, scheduling of Dis/rec. materials to complete job as specified
Job total 2	400.00 dollars	1
		•
x Mandy S	toddard	02/06/2020

MR FIX IT ELECTRIC & MORE
"Done Right The First Time"
7537 N. Antioch Ave.
Fresno, CA. 93722
(559)240-8786





RECEIVED

JUN 22 2020

LEGAL SERVICES

Red Rose, INC. d/b/a Petersen-Dean c/o Epiq Corporate Restrictioning, LLC P.O. Box 4421 Beaverton, OR. 97076-4421